

## 1 Identification of the substance/mixture and of the company/undertaking

· **Product identifier**

- **Trade name:** - ACRYLIC VARNISH MATT 115, aerosol  
- AMSTERDAM ACRYLIC VARNISH MATT 115, aerosol

· **Article number:** 9516.0014

· **Relevant identified uses of the substance or mixture** picturevarnish

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Royal Talens

P.O.Box 4

NL-7300 AA Apeldoorn Tel. +31 (0)55 5274700

· **Further information obtainable from:**

Regulatory Affairs

safety@talens.com

· **Emergency telephone number:**

Great Britain: National Poisons Information Service (Birmingham) tel. (44) (0) 1215074123

Ireland: National Poisons Information Centre (Dublin) tel. 35 3 18379966

## 2 Hazards identification

· **Classification of the substance or mixture**

· **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



F+; Extremely flammable

R12: Extremely flammable.



N; Dangerous for the environment

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R67: Vapours may cause drowsiness and dizziness.

· **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Warning! Pressurized container.

· **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· **Label elements**

· **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

Observe the general safety regulations when handling chemicals.

· **Code letter and hazard designation of product:**



F+ Extremely flammable

N Dangerous for the environment

· **Risk phrases:**

12 Extremely flammable.

51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

67 Vapours may cause drowsiness and dizziness.

· **Safety phrases:**

2 Keep out of the reach of children.

16 Keep away from sources of ignition - No smoking.

29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

(Contd. of page 1)

- 46 If swallowed, seek medical advice immediately and show this container or label.  
 51 Use only in well-ventilated areas.

· **Special labelling of certain preparations:**

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

· **Classification in accordance with Directive 75/324/EEC:** Extremely flammable

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.







· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 64742-82-1 EINECS: 265-185-4	Naphtha (petroleum), hydrodesulfurized heavy  Xn R65;  N R51/53 R10-66-67	25-50%
CAS: 106-97-8 EINECS: 203-448-7	butane  F+ R12	10-25%
CAS: 74-98-6 EINECS: 200-827-9	propane  F+ R12	10-25%
CAS: 67-63-0 EINECS: 200-661-7	propan-2-ol  Xi R36;  F R11 R67	1-10%

· **Additional information:** For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

· **Description of first aid measures**

· **After skin contact:** Generally the product does not irritate the skin.

· **After eye contact:** Rinse opened eye for several minutes under running water.

· **After swallowing:** Do not induce vomiting; call for medical help immediately.

### 5 Firefighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:** CO<sub>2</sub>, powder, water haze, foam

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

· **Special hazards arising from the substance or mixture** No further relevant information available.

· **Advice for firefighters**

· **Protective equipment:** No special measures required.

### 6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures** Keep away from ignition sources.

· **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

· **Methods and material for containment and cleaning up:** Ensure adequate ventilation.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

See Section 13 for disposal information.

(Contd. of page 2)

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.  
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.  
Do not spray onto a naked flame or any incandescent material.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store in a cool location.  
Observe official regulations on storing packagings with pressurized containers.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Do not seal receptacle gas tight.  
Store in cool, dry conditions in well sealed receptacles.  
Protect from heat and direct sunlight.

## 8 Exposure controls/personal protection

- **Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**

### 106-97-8 butane

WEL	Short-term value: 1810 mg/m <sup>3</sup> , 750 ppm Long-term value: 1450 mg/m <sup>3</sup> , 600 ppm Carc (if more than 0.1% of buta-1.3-diene)
-----	---

### 67-63-0 propan-2-ol

WEL	Short-term value: 1250 mg/m <sup>3</sup> , 500 ppm Long-term value: 999 mg/m <sup>3</sup> , 400 ppm
-----	--

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Wash hands before breaks and at the end of work.  
Do not inhale gases / fumes / aerosols.
- **Respiratory protection:** Not required.
- **Protection of hands:**



If prolonged or repeated contact is likely, chemicalresistant gloves are recommended.

- **Material of gloves** Nitrile rubber, NBR
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

· **Eye protection:**



Safety glasses

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· <b>Form:</b>	Aerosol
· <b>Colour:</b>	According to product specification
· <b>Odour:</b>	Characteristic

· **Change in condition**

· <b>Melting point/Melting range:</b>	Undetermined.
· <b>Boiling point/Boiling range:</b>	-44°C

· **Flash point:** -97°C

· **Ignition temperature:** 200°C

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

· **Explosion limits:**

· <b>Lower:</b>	0.6 Vol %
· <b>Upper:</b>	10.9 Vol %

· **Vapour pressure at 20°C:** 8300 hPa

· **Density at 20°C:** 0.68 g/cm<sup>3</sup>

· **Solubility in / Miscibility with water:** Not miscible or difficult to mix.

· **Other information** No further relevant information available.

## 10 Stability and reactivity

· **Reactivity**

· **Chemical stability**

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **Possibility of hazardous reactions** No dangerous reactions known.

· **Conditions to avoid** No further relevant information available.

· **Incompatible materials:** No further relevant information available.

## 11 Toxicological information

· **Information on toxicological effects**

· **Acute toxicity:**

· **LD/LC50 values relevant for classification:**

**64742-82-1 Naphtha (petroleum), hydrodesulfurized heavy**

Oral LD50 > 5000 mg/kg (rat)

Dermal LD50 > 2000 mg/kg (rabbit)

· **Primary irritant effect:**

· **on the skin:** Irritant to skin and mucous membranes.

(Contd. of page 4)

· **Sensitization:** No sensitizing effects known.



## 12 Ecological information

- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**  
 Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water  
 Do not allow product to reach ground water, water course or sewage system.  
 Danger to drinking water if even small quantities leak into the ground.  
 Also poisonous for fish and plankton in water bodies.  
 Toxic for aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations


- **Waste treatment methods**
- **Recommendation**  
 Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- |  |   |
|--|---|
| · <b>UN-Number</b>                         |   |
| · <b>ADR, IMDG, IATA</b>                   | UN1950  |
| · <b>UN proper shipping name</b>           |   |
| · <b>ADR</b>                               | 1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS  |
| · <b>IMDG</b>                              | AEROSOLS (TURPENTINE SUBSTITUTE)  |
| · <b>IATA</b>                              | AEROSOLS, flammable   |
| · <b>Transport hazard class(es)</b>        |   |
| · <b>ADR</b>                               |   |
|  |  |
| · <b>Class</b>                             | 2 5F Gases.   |
| · <b>Label</b>                             | 2.1   |
| <hr style="border-top: 1px dashed #000;"/> |   |
| · <b>IMDG</b>                              |   |
|  |  |
| · <b>Class</b>                             | 2.1   |



(Contd. on page 6)

(Contd. of page 5)

· <b>Label</b>	2.1
· <b>IATA</b>	
	
· <b>Class</b>	2.1
· <b>Label</b>	2.1
· <b>Packing group</b>	
· <b>ADR, IMDG, IATA</b>	Void
· <b>Environmental hazards:</b>	Product contains environmentally hazardous substances: Naphtha (petroleum), hydrodesulfurized heavy
· <b>Marine pollutant:</b>	Yes Symbol (fish and tree)
· <b>Special marking (ADR):</b>	Symbol (fish and tree)
· <b>Special precautions for user</b>	Warning: Gases.
· <b>Danger code (Kemler):</b>	-
· <b>EMS Number:</b>	F-D,S-U
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Tunnel restriction code</b>	D

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to EU guidelines:**  
 The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.  
 Observe the general safety regulations when handling chemicals.
- **Code letter and hazard designation of product:**

		F+ Extremely flammable
		N Dangerous for the environment
- **Risk phrases:**
  - 12 Extremely flammable.
  - 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
  - 67 Vapours may cause drowsiness and dizziness.
- **Safety phrases:**
  - 2 Keep out of the reach of children.
  - 16 Keep away from sources of ignition - No smoking.
  - 29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.
  - 46 If swallowed, seek medical advice immediately and show this container or label.
  - 51 Use only in well-ventilated areas.
- **Special labelling of certain preparations:**  
 Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.  
 Do not spray on a naked flame or any incandescent material.
- **Classification in accordance with Directive 75/324/EEC: Extremely flammable**

(Contd. on page 7)

Printing date 09.12.2011

Revision: 09.12.2011

(Contd. of page 6)

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Relevant phrases**

R10 Flammable.

R11 Highly flammable.

R12 Extremely flammable.

R36 Irritating to eyes.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

R67 Vapours may cause drowsiness and dizziness.

GB